



Handling uncertainties in the development of tight-binding potentials: application to zirconium hydride

Alessandra del Masto, Céline Varenne, Jean Baccou, G. Tréglia, Fabienne Ribeiro, Maxime Dottor, Jean-Claude Crivello, Jean-Marc Joubert

► To cite this version:

Alessandra del Masto, Céline Varenne, Jean Baccou, G. Tréglia, Fabienne Ribeiro, et al.. Handling uncertainties in the development of tight-binding potentials: application to zirconium hydride. COSIRES 2022 - The 15th conference of Computer Simulation of Irradiation Effects in Solids, CNRS, CINaM, SRMP, CEA, May 2022, Île de Porquerolles, France. irsn-03959152

HAL Id: irsn-03959152

<https://irsn.hal.science/irsn-03959152>

Submitted on 27 Jan 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

Copyright

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Handling uncertainties in the development of tight-binding potentials : application to zirconium hydride

A. Del Masto¹⁻², C. Varyenne², J. Baccou¹,
G. Tréglia², F. Ribeiro¹, M. Dottor³, J.C. Crivello³, J.M. Joubert³

¹*Institut de Radioprotection et de Sécurité Nucléaire, IRSN, Saint Paul-Lez-Durance, France*

²*Centre Interdisciplinaire de Nanosciences de Marseille, CINaM, CNRS-Aix-Marseille Université, France*

³*Institut de Chimie et des Matériaux Paris-Est, ICMPE, CNRS - Thiais, France*

In the field of material science for energy applications, zirconium hydrides are studied both for their useful application for hydrogen storage and for their negative effect on mechanical properties of the nuclear fuel cladding material (zirconium) in water cooled reactors. At the atomic scale, the tight-binding (TB) approximation has proven to be a satisfying method to develop potentials that are both accurate and computationally tractable to model zirconium hydrides. Such potentials are defined by a fixed number of parameters that need to be accurately identified for the model to be reliable. The reliability is indeed closely related to the uncertainties associated with parameters [1]. Even if the use of parametric potentials, TB or semi-empirical ones, is widely established in the literature [2], very few studies discuss the quantification of such uncertainties [3–5].

This work aims at quantifying the uncertainty associated with the calibration of TB potentials. A previously developed TB potential [6] is used, focusing on its ability to reproduce elastic constants and lattice parameters of δ (cubic) and ϵ (tetragonal) zirconium hydrides. Uncertainty Quantification (UQ) methods, based on polynomial chaos expansion and Bayesian inference, are used to estimate the parameters uncertainties, through their *a posteriori* probability distributions and starting from a limited number of experimental and DFT data. The accuracy of the TB potential - with respect to the available data - is thus improved. In addition, having characterized the uncertainty on the model parameters, we can estimate the uncertainty propagation on any computed property.

References

- [1] P. Pernot and F. Caillez. In: *AIChE J.* 63.10 (2017), pp. 4642–4665. eprint: [1611.04376](https://arxiv.org/abs/1611.04376).
- [2] C M Goringe, D R Bowler, and E Hernández. In: *Reports Prog. Phys.* 60.12 (1997), pp. 1447–1512.
- [3] L. Kulakova et al. In: *Sci. Rep.* 7.1 (2017), p. 16576.
- [4] G. Dhaliwal, P. B. Nair, and C. V. Singh. In: *Comput. Mater. Sci.* 166 (2019), pp. 30–41.
- [5] F. Rizzi et al. In: *Multiscale Model. Simul.* 10.4 (2012), pp. 1428–1459.
- [6] A. Dufresne, G. Tréglia, and F. Ribeiro. In: *Met. Res. Technol.* 112.1 (2015), p. 102.